

# lucent<sup>®</sup>



New for Light+intelligent building  
Middle East 2025

**lucent** /'lu:s(ə)nt/

adjective literary

glowing with or giving off light.

'the moon was lucent in the background'

# Contents:

Page 1	Oculus Range
Page 6	Mix Flare range
Page 8	Mix Duo range
Page 10	Mix Edge range
Page 13	Mix Pinhole 85
Page 14	New LED35/Q and LED51/Q
Page 17	LumiCone pendant
Page 18	InGround 60 Spotlight
Page 20	New finish selection
Page 22	New 2200K/2400K CCTs

# Discover our new Oculus Range:

Available in two sizes: Oculus45 and  
Oculus

Following on from our successful Micro40 Oculus we have added two new models to the Oculus range: **Oculus45 and Oculus.**

Both models are available with trim and trimless installation kits, ideal for various ceiling conditions including existing ceilings, new partial skims, as well as wood and stone surfaces. **1809lm delivered** using the new Quantum HO module.\*

Built specifically to work with our new LED50 ONE and LED 35 modules, which offer quick and easy screw-in toolless installation, adjustable to 30° and when fully adjusted do not break the ceiling line.

Constructed from recycled materials for circularity.

Rated IP54 as standard and optionally IP65, the Oculus Range is fire rated ready with 1 hour fire rating available. Designed and produced in the UK.



## Winner of Build Back Better Awards 2024:

The Oculus downlight from Lucent Lighting has won both a **GOLD** and **GREEN** Build Back Better Award in the 2024 lighting category for its sustainability credentials.

The recessed eyeball luminaire achieves a TM66 rating of 2.5 for 'excellent circularity' and is designed and assembled in the UK using 89% recycled materials.

\*This percentage reflects the highest efficiency measured for this particular fixture



## One Za'abeel

Lighting Design: dpa lighting consultants

Photography: Gavriil Papadiotos - Gavrilux

# Oculus 45





Also available in new finishes



**Oculus45 Trim**  
OC45010-TR1  
**Oculus45 Trimless**  
OC45010-TL1


LED35/Q-HE  
8.0w/ 762lm  
LED35/Q-HO  
9.7w/ 944lm



# Oculus



Also available in new finishes




**Oculus Trim**  
OC010-TR1  
**Oculus Trimless**  
OC010-TL1


**LED51/Q-HE**  
8.0w/1053lm  
**LED51/Q-HO**  
14.0w/1809lm



IP54



IP54



# Introducing our new Mix Range:

Available in two sizes: Mix60 and Mix85

The Mix Range is a versatile solution available in two models: **Mix60 and Mix85.**

Designed to meet the highest standards of performance and adaptability, the Mix85 luminaire comes in four trim styles to fit any design: **Pinhole, Edge, Flare, and Duo** while Mix60 comes in three trim styles: **Edge, Flare, and Duo.**

Both models are available with trim and trimless installation kits, ideal for various ceiling conditions including existing ceilings, new partial skims, as well as wood and stone surfaces. **1884lm delivered** using the new Quantum HO module.\*

The Mix Range is built specifically to work with our new LED50 ONE and LED35 modules, which offer quick and easy screw-in installation.

Rated IP54 as standard and optionally IP65, the Mix Range is fire rated ready with 1 hour fire rating available.

Designed and produced in the UK.

\*This percentage reflects the highest efficiency measured for this particular fixture





Ritz Carlton, Amman.

Lighting Design: MBLD

Interior Design: Wimberly Interiors

Photography: Gary Schmid, courtesy of Ritz Carlton



# Mix60 Flare



Also available in new finishes





IP54



**Mix60 Flare Fixed Trim**  
MX60000-FL-TRI  
**Mix60 Flare Fixed Trimless**  
MX60000-FL-TLI



IP54



**Mix60 Flare Accent Trim**  
MX60010-FL-TRI  
**Mix60 Flare Accent Trimless**  
MX60010-FL-TLI



LED35/Q-HE  
8W / 529lm  
LED35/Q-HO  
9.7W / 700lm

# Mix85 Flare




**Mix85 Flare Trim**  
MX85000-FL-TR1  
**Mix85 Flare Trimless**  
MX85000-FL-TL1



**LED51/Q-HE**  
8.0w/ 1004lm  
**LED51/Q-HO**  
14.0w/ 1613lm





**Mix85 Flare Accent Trim**  
MX85010-FL-TR1  
**Mix85 Flare Accent Trimless**  
MX85010-FL-TL1



# Mix60 Duo



**Mix60 Duo Fixed Trim**  
MX60000-DU-TR1  
**Mix60 Duo Fixed Trimless**  
MX60000-DU-TL1



**Mix60 Duo Accent Trim**  
MX60010-DU-TR1  
**Mix60 Duo Accent Trimless**  
MX60010-DU-TL1

LED35/Q-HE  
8W / 734lm  
LED35/Q-HO  
9.7W / 936lm

# Mix85 Duo





Also available in new finishes





**Mix85 Duo Trim**  
MX85000-DU-TR  
**Mix85 Duo Trimless**  
MX85000-DU-TL

LED51/Q-HE  
8.0w/ 1094lm  
LED51/Q-HO  
14.0w/ 1747lm




**Mix85 Duo Accent Trim**  
MX85010-DU-TR  
**Mix85 Duo Accent Trimless**  
MX85010-DU-TL





# Mix60 Edge



Also available in new finishes






IP54



**Mix60 Edge Fixed Trim**  
MX60000-ED-TR1  
**Mix60 Edge Fixed Trimless**  
MX60000-ED-TL1



IP54




**Mix60 Edge Accent Trim**  
MX60010-ED-TR1  
**Mix60 Edge Accent Trimless**  
MX60010-ED-TL1

LED35/Q-HE  
8W / 570lm  
LED35/Q-HO  
9.7W / 734lm

# Mix85 Edge






Also available in new finishes




**Mix85 Edge Trim**  
MX85000-ED-TR1  
**Mix85 Edge Trimless**  
MX85000-ED-TL1

**LED51/Q-HE**  
8.0w/ 923lm  
**LED51/Q-HO**  
14.0w/ 1272lm



**Mix85 Edge Accent Trim**  
MX85010-ED-TR1  
**Mix85 Edge Accent Trimless**  
MX85010-ED-TL1









Al Mamlaka, Riyadh, KSA.  
Lighting Design: Lighting Design International  
Interior Design: TGP International  
Photography: Gavriil Papadiotos - Gavriilux




# Mix85 Pinhole



**Mix85 Pinhole**  
**MX85000-PH-TR1**  
**Mix85 Pinhole Trimless**  
**MX85000-PH-TL1**  
**LED51/Q-HE**  
 8.0w/ 785lm  
**LED51/Q-HO**  
 14.0w/ 1603lm



**Mix85 Pinhole Accent Trim**  
**MX85010-PH-TR1**  
**Mix85 Pinhole Accent Trimless**  
**MX85010-PH-TL1**





# Discover our new Quantum modules

Introducing our cutting-edge Quantum modules, available in two sizes: LED51 and LED35. These modules offer two performance options: High Efficacy (HE) and High Output (HO). Engineered for efficiency and performance making it the perfect choice for achieving PartL standards.

The Quantum modules are offered in three standard colour temperatures 2700K, 3000K, and 4000K to ensure ideal lighting for any space.



# Available in two sizes



## LED51/Q

The LED51 model comes in two configurations:

**HE (High Efficacy)** source lumens up to 1187lm at 200mA, with an impressive efficacy of 180 lm/W.\*

**HO (High Output)** source lumens up to 1899lm at 350mA, with an impressive efficacy of 160 lm/W.\*

Available in three standard colour temperatures: 2700K, 3000K, and 4000K.



## LED35/Q

The LED35 model comes in two configurations:

**HE (High Efficacy)** source lumens up to 864lm at 200mA, with an impressive efficacy of 108 lm/W.\*

**HO (High Output)** source lumens up to 1054lm at 250mA, with an impressive efficacy of 109 lm/W.\*

Available in three standard colour temperatures: 2700K, 3000K, and 4000K.

\*Source lumens delivered



## One Za'abeel

Lighting Design: dpa lighting consultants


Photography: Gavriil Papadiotos - Gavriilux

# LumiCone pendant

Demonstrating Lucent's capability to produce custom designed luminaires.

Ø250mm Pendant mounted conical luminaire in a Heavy Duty, Textured Finish in a range of beam angles. Can be mounted directly to the ceiling or track mounted on our 48v low voltage track or FineLine system. Ideally suited for Reception or Bar areas within the Hospitality sector.

**LumiCone Pendant**  
060-PM-LC  
13.6w/1049 lm




# IG60 Spotlight

Ø65mm IP65 fully adjustable and rotatable surface mounted exterior grade spotlight in Anodised Black finish.


With a 60° angled anti-glare cowl as standard.

Available in 4 beam angles: NF (16°), MF (21°), FL (29°), WFL (42°).



**IG60 SpotLight**  
IG60-SP  
4.2w/ 352 lm





Private residence, Spain

# NEW Finish selection

Expanding our colour selection with five new finishes. In addition to classic black, white, and any RAL colour, you can now choose from two elegant antique finishes and three sleek polished options. These new finishes bring even more customization to our products, allowing you to achieve the perfect look for any space.



Antique Brass



Antique Bronze



Polished Nickel



Polished Chrome



Polished Brass





### Bulgari Hotel, Dubai.

Lighting Design Concept: Metis Lighting, Milan

Architects: Antonio Citterio, Patricia Viel, Milan

Local Lighting Design: Delta Lighting solutions, Dubai

Lucent Distributor: Huda Lighting

# Revealing the warmth of 2200K and 2400K lighting

*...because the best lighting doesn't just  
brighten, it warms*

Discover the latest additions to our range of modules, with two new warm colour temperature options at 2200K and 2400K. Designed to create inviting atmospheres, they are available in both LED51 and LED35 sizes to seamlessly fit into all compatible fixtures.





Monarca International  
Al Quoz Ind 3, Dubai, UAE  
[welcome@monarca.international](mailto:welcome@monarca.international)  
UAE Office: + 971-04 269 9100  
[www.monarca.international](http://www.monarca.international)

[www.lucent-lighting.com](http://www.lucent-lighting.com)